



Razor barbed mesh

Welcome to visit our factory

AGS-Industrial, Ph: +1-505-550-6501 & +1-505-565-5102, Fx: +1-505-814-5778

Email: sales@ags-industrial.com, Website: <http://www.ags-industrial.com>



ISO9001: 2008

For protection of our property

Compliance to International Standards

Razor barbed mesh introduction



Razor barbed wire is a kind of modern security fencing material fabricated with razor-sharp steel blade and wire.

Material: galvanized steel plate and wire, stainless steel plate and wire.

Surface: powder coating, color can be customized.

Use: currently, barbed tape has been widely used in many countries in military fields, prisons, detention facilities, government buildings and other national security facilities.









Features: It is effective and practical, corrosion resisting, resists aging, long life.

AGS-Industrial, Ph: +1-505-550-6501 & +1-505-565-5102, Fx: +1-505-814-5778



Email: sales@ags-industrial.com, Website: <http://www.ags-industrial.com>

International standard

We can produce razor barbed wire products according to our customer's request as below. (all the units are mm). We produce according to international standards.

Reference Number	Blade Style	Thickness	Wire Dia.	Bard Length	Bard Width	Bard Spacing
BTO - 10		0.5 ± 0.05	2.5 ± 0.1	10 ± 1	13 ± 1	26 ± 1
BTO - 12		0.5 ± 0.05	2.5 ± 0.1	12 ± 1	15 ± 1	26 ± 1
BTO - 18		0.5 ± 0.05	2.5 ± 0.1	18 ± 1	15 ± 1	33 ± 1
BTO - 22		0.5 ± 0.05	2.5 ± 0.1	22 ± 1	15 ± 1	34 ± 1
BTO - 28		0.5 ± 0.05	2.5	28	15	45 ± 1
BTO - 30		0.5 ± 0.05	2.5	30	18	45 ± 1
CBT - 60		0.6 ± 0.05	2.5 ± 0.1	60 ± 2	32 ± 1	100 ± 1
CBT - 65		0.6 ± 0.05	2.5 ± 0.1	65 ± 2	32 ± 1	100 ± 1

Traditional razor mesh




- (1) Concertina Razor Wire**
- (2) Flat Wrap Razor Wire**
- (3) Single Strand Razor Wire**

New type welded razor mesh


We produce welded razor mesh BTO22, BTO30...etc.

Type	razor mesh(diamond hole)	razor mesh(square / rectangle hole)
Thickness of sheet	0.5 ± 0.05mm	
Dia. of core wire	2.5 ± 0.1mm	
Height	1000mm---2500mm	
Length	2m---10m	
Mesh size	75mmx150mm,150mmx200mm, 150mmx300m	50mm,100mm,150mm, 200mm, 300mm



Packing

Welded razor mesh packing in roll



Welded razor mesh packing in panel



Application





Razor barbed mesh

AGS-Industrial, Ph: +1-505-550-6501 & +1-505-565-5102, Fx: +1-505-814-5778
Email: sales@ags-industrial.com, Website: <http://www.ags-industrial.com>



Welcome to visit our factory

ISO9001: 2008

Compliance to International Standards